ELSEVIER

Hearing Research 115 (1998) 229–230

HEARING RESEARCH

Author Index Volume 115

Arnold, W., see Lamm, K. (115) 149

Baird, A., see Dazert, S. (115) 143
Bangert, M., Kalmring, K., Sickmann, T., Stephen, R., Jatho, M. and Lakes-Harlan, R.
Stimulus transmission in the auditory receptor organs of the foreleg of bushcrickets (Tettigoniidae) I. The role of the tympana (115) 27
Barsz, K., Benson, P.K. and Walton, J.P.
Gap encoding by inferior collicular neurons is altered by minimal changes in signal envelope (115) 13
Bartolami, S., see Coling, D.E. (115) 175
Bennett, T., see Marcus, D.C. (115) 82
Benson, P.K., see Barsz, K. (115) 13
Byrd, J.D., see Frisina, R.D. (115) 61

Carlson, S., see Willott, J.F. (115) 162
Coling, D.E., Bartolami, S., Rhee, D. and Neelands, T.
Inhibition of calcium-dependent motility of cochlear outer hair cells by the protein kinase inhibitor, ML-9 (115) 175
Conlon, B.J., and Smith, D.W.
Supplemental iron exacerbates aminoglycoside ototoxicity in vivo (115) 1

Dazert, S., Baird, A. and Ryan, A.F.
Receptor-targeted delivery of an intracellular toxin to outer hair cells by fibroblast growth factor (115) 143
Ding, D., see Willott, J.F. (115) 162

Edds-Walton, P.L.,
Projections of primary afferents from regions of the saccule in toadfish (*Opsanus tau*) (115) 45

Faddis, B.T., Hughes, R.M. and Miller, J.D.
Quantitative measures reflect degeneration, but not regeneration, in the *deafness* mouse organ of Corti (115) 6
Falls, W.A., see Willott, J.F. (115) 162
Frisina, R.D., Walton, J.P., Lynch-Armour, M.A. and Byrd, J.D.
Inputs to a physiologically characterized region of the inferior colliculus of the young adult CBA mouse (115) 61

Giguère, C., see van Emst, M.G. (115) 184
Gruber, D.D., see Wangemann, P. (115) 113

Hartmann, R., see Heid, S. (115) 101
Heid, S., Hartmann, R. and Klinke, R.
A model for prelingual deafness, the congenitally deaf white cat - population statistics and degenerative changes (115) 101
Henry, W.R., see Mulroy, M.J. (115) 93
Hill, K.G.,
Basilar membrane motion in relation to two-tone suppression (115) 129
Hudson, R.R., see Watson, G.M. (115) 119
Hughes, R.M., see Faddis, B.T. (115) 6

Jatho, M., see Bangert, M. (115) 27

Kalmring, K., see Bangert, M. (115) 27
Klinke, R., see Heid, S. (115) 101

Lakes-Harlan, R., see Bangert, M. (115) 27
Lamm, K., and Arnold, W.
The effect of prednisolone and non-steroidal anti-inflammatory agents on the normal and noise-damaged guinea pig inner ear (115) 149
Lewald, J.,
The effect of gaze eccentricity on perceived sound direction and its relation to visual localization (115) 206
Liu, J., see Marcus, D.C. (115) 82
Lynch-Armour, M.A., see Frisina, R.D. (115) 61

Marcus, D.C., Sunose, H., Liu, J., Bennett, T., Shen, Z., Scofield, M.A. and Ryan, A.F.
Protein kinase C mediates P_{2U} purinergic receptor inhibition of K^+ channel in apical membrane of strial marginal cells (115) 82
McNeil, P.L., see Mulroy, M.J. (115) 93
Miller, J.D., see Faddis, B.T. (115) 6
Mire, P., see Watson, G.M. (115) 119
Mulroy, M.J., Henry, W.R. and McNeil, P.L.
Noise-induced transient microlesions in the cell membranes of auditory hair cells (115) 93

Neelands, T., see Coling, D.E. (115) 175

Paparella, M.M., see Sone, M. (115) 217
Polyakov, A., see Pratt, H. (115) 39
Pratt, H., Shi, Y. and Polyakov, A.
Contralaterally evoked transient otoacoustic emissions (115) 39
Probst, R., see Smurzynski, J. (115) 197

Rhee, D., see Coling, D.E. (115) 175
Ryan, A.F., see Dazert, S. (115) 143
Ryan, A.F., see Marcus, D.C. (115) 82

Schachern, P.A., see Sone, M. (115) 217
Scofield, M.A., see Marcus, D.C. (115) 82
Seegers Bross, L., see Willott, J.F. (115) 162
Shen, Z., see Marcus, D.C. (115) 82
Shi, Y., see Pratt, H. (115) 39
Sickmann, T., see Bangert, M. (115) 27
Smith, D.W., see Conlon, B.J. (115) 1
Smoorenburg, G.F., see van Emst, M.G. (115) 184
Smurzynski, J., and Probst, R.

The influence of disappearing and reappearing spontaneous otoacoustic emissions on one subject's threshold microstructure (115) 197

Sone, M., Schachern, P.A. and Paparella, M.M.
Loss of spiral ganglion cells as primary manifestation of aminoglycoside ototoxicity (115) 217

Stephen, R., see Bangert, M. (115) 27

Sunose, H., see Marcus, D.C. (115) 82

Turner, J.G., see Willott, J.F. (115) 162

van Emst, M.G., Giguère, C. and Smoorenburg, G.F.
The generation of DC potentials in a computational model of the organ of Corti: effects of voltage-dependent K^+ channels in the basolateral membrane of the inner hair cell (115) 184

Walton, J.P., see Frisina, R.D. (115) 61

Walton, J.P., see Barsz, K. (115) 13

Wangemann, P., and Gruber, D.D.
The isolated in vitro perfused spiral modiolar artery: pressure dependence of vasoconstriction (115) 113

Watson, G.M., Mire, P. and Hudson, R.R.
Repair of hair bundles in sea anemones by secreted proteins (115) 119

Willott, J.F., Turner, J.G., Carlson, S., Ding, D., Seegers Bross, L. and Falls, W.A.
The BALB/c mouse as an animal model for progressive sensorineural hearing loss (115) 162

ELSEVIER

Hearing Research 115 (1998) 231–234

HEARING RESEARCH

Subject Index Volume 115

Aging
Hearing; Deafness; Horseradish peroxidase; Central auditory system; Tract tracing (Frisina, R.D. (115) 61)

Aminoglycoside antibiotic
Gentamicin; Iron; Ototoxicity; Free radical; Reactive oxygen species (Conlon, B.J. (115) 1)

Amplitude modulation
Rise time; Gap detection; Temporal resolution; Inferior colliculus; Mouse (Barsz, K. (115) 13)

Auditory brainstem response
Inbred strain; Presbycusis; Cochlear histopathology; Cochlear nucleus; Behavior (Willott, J.F. (115) 162)

Auditory evoked potential
Cochlea; Hearing loss, noise-induced; Drug effect; Prednisolone; Diclofenac; Histamine antagonist; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Auditory nerve
Congenital deafness; Organ of Corti; Spiral ganglion; Degeneration; Cat; Hearing deficit; Waardenburg (Heid, S. (115) 101)

Two-tone suppression; Basilar membrane mechanics (Hill, K.G. (115) 129)

Auditory nonlinearity
DC receptor potential; K^+ channel; Hair cell model (van Emst, M.G. (115) 184)

Auditory pathway
Directional processing; Fish hearing; Fluorescent dextran amine; Neuron labeling (Edds-Walton, P.L. (115) 45)

Auditory receptor organ
Bushcricket; Insect; Sound transmission; Tympanum (Bangert, M. (115) 27)

Basilar membrane mechanics
Two-tone suppression; Auditory nerve (Hill, K.G. (115) 129)

Behavior
Inbred strain; Presbycusis; Cochlear histopathology; Auditory brainstem response; Cochlear nucleus (Willott, J.F. (115) 162)

Brain stem evoked potential
Cochlea; Hearing loss, noise-induced; Drug effect; Prednisolone; Diclofenac; Histamine antagonist; Auditory evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Bushcricket
Insect; Auditory receptor organ; Sound transmission; Tympanum (Bangert, M. (115) 27)

Calcium
Outer hair cells; Sensory receptor cells; Calmodulin; Protein kinase; Motility; ML-9 (Coling, D.E. (115) 175)

Calmodulin
Outer hair cells; Sensory receptor cells; Calcium; Protein kinase; Motility; ML-9 (Coling, D.E. (115) 175)

Cat
Congenital deafness; Organ of Corti; Auditory nerve; Spiral ganglion; Degeneration; Hearing deficit; Waardenburg (Heid, S. (115) 101)

Cell membrane wounding
Noise-induced hearing loss; Temporary threshold shift; Hair cell membrane lesion; Lizard (Mulroy, M.J. (115) 93)

Central auditory system
Hearing; Deafness; Aging; Horseradish peroxidase; Tract tracing (Frisina, R.D. (115) 61)

Click
Transient evoked otoacoustic emission; Efferent system; Contralateral; Human (Pratt, H. (115) 39)

Cochlea
Hearing loss, noise-induced; Drug effect; Prednisolone; Diclofenac; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Cochlear blood flow
Intravascular pressure (Wangemann, P. (115) 113)

Cochlear histopathology
Inbred strain; Presbycusis; Auditory brainstem response; Cochlear nucleus; Behavior (Willott, J.F. (115) 162)

Cochlear nucleus
Inbred strain; Presbycusis; Cochlear histopathology; Auditory brainstem response; Behavior (Willott, J.F. (115) 162)

Congenital deafness
Organ of Corti; Auditory nerve; Spiral ganglion; Degeneration; Cat; Hearing deficit; Waardenburg (Heid, S. (115) 101)

Contralateral
Transient evoked otoacoustic emission; Efferent system; Human; Click (Pratt, H. (115) 39)

Cystic fibrosis
Tobramycin; Spiral ganglion cell; Degeneration; Ototoxicity (Sone, M. (115) 217)

DC receptor potential
K^+ channel; Hair cell model; Auditory nonlinearity (van Emst, M.G. (115) 184)

Deafness
Hearing; Aging; Horseradish peroxidase; Central auditory system; Tract tracing (Frisina, R.D. (115) 61)

***deafness* mouse**
Degeneration; Regeneration; Organ of Corti (Faddis, B.T. (115) 6)

Degeneration
deafness mouse; Regeneration; Organ of Corti (Faddis, B.T. (115) 6)

Congenital deafness; Organ of Corti; Auditory nerve; Spiral ganglion; Cat; Hearing deficit; Waardenburg (Heid, S. (115) 101)

Cystic fibrosis; Tobramycin; Spiral ganglion cell; Ototoxicity (Sone, M. (115) 217)

Development
Inner ear; Organ of Corti; Hair cell; Fibroblast growth factor; Fibroblast growth factor receptor; Saporin (Dazert, S. (115) 143)

Diclofenac
Cochlea; Hearing loss, noise-induced; Drug effect; Prednisolone; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Directional hearing
Sound localization; Eye position; Spatial coordinate; Perception; Human (Lewald, J. (115) 206)

Directional processing
Auditory pathway; Fish hearing; Fluorescent dextran amine; Neuron labeling (Edds-Walton, P.L. (115) 45)

Drug effect
Cochlea; Hearing loss, noise-induced; Prednisolone; Diclofenac; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Efferent system
Transient evoked otoacoustic emission; Contralateral; Human; Click (Pratt, H. (115) 39)

Electrocochleography
Cochlea; Hearing loss, noise-induced; Drug effect; Prednisolone; Diclofenac; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Eye position
Directional hearing; Sound localization; Spatial coordinate; Perception; Human (Lewald, J. (115) 206)

Fibroblast growth factor
Inner ear; Organ of Corti; Hair cell; Development; Fibroblast growth factor receptor; Saporin (Dazert, S. (115) 143)

Fish hearing
Auditory pathway; Directional processing; Fluorescent dextran amine; Neuron labeling (Edds-Walton, P.L. (115) 45)

Fluorescent dextran amine
Auditory pathway; Directional processing; Fish hearing; Neuron labeling (Edds-Walton, P.L. (115) 45)

Free radical
Gentamicin; Iron; Aminoglycoside antibiotic; Ototoxicity; Reactive oxygen species (Conlon, B.J. (115) 1)

Gap detection
Rise time; Temporal resolution; Amplitude modulation; Inferior colliculus; Mouse (Barsz, K. (115) 13)

Gentamicin
Iron; Aminoglycoside antibiotic; Ototoxicity; Free radical; Reactive oxygen species (Conlon, B.J. (115) 1)

Gerbil
Phospholipase C; Perforated-patch whole-cell voltage clamp; minK channel; Rat; Self-referencing probe (Marcus, D.C. (115) 82)

Guinea pig
Cochlea; Hearing loss, noise-induced; Drug effect; Prednisolone; Diclofenac; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia (Lamm, K. (115) 149)

Hair cell
Inner ear; Organ of Corti; Development; Fibroblast growth factor; Fibroblast growth factor receptor; Saporin (Dazert, S. (115) 143)

Noise-induced hearing loss; Temporary threshold shift; Cell membrane wounding; Lizard (Mulroy, M.J. (115) 93)

Hair cell model
DC receptor potential; K^+ channel; Auditory nonlinearity (van Emst, M.G. (115) 184)

Hair cells
Tip link; Signal transduction (Watson, G.M. (115) 119)

Hearing
Deafness; Aging; Horseradish peroxidase; Central auditory system; Tract tracing (Frisina, R.D. (115) 61)

Congenital deafness; Organ of Corti; Auditory nerve; Spiral ganglion; Degeneration; Cat; Waardenburg (Heid, S. (115) 101)

Hearing loss, noise-induced
Cochlea; Drug effect; Prednisolone; Diclofenac; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Hearing threshold
Spontaneous otoacoustic emission; Temporal integration (Smurzynski, J. (115) 197)

Histamine antagonist
Cochlea; Hearing loss, noise-induced; Drug effect; Prednisolone; Diclofenac; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Horseradish peroxidase
Hearing; Deafness; Aging; Central auditory system; Tract tracing (Frisina, R.D. (115) 61)

Human
Transient evoked otoacoustic emission; Efferent system; Contralateral; Click (Pratt, H. (115) 39)

Directional hearing; Sound localization; Eye position; Spatial coordinate; Perception (Lewald, J. (115) 206)

Hypoxia
Cochlea; Hearing loss, noise-induced; Drug effect; Prednisolone; Diclofenac; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Guinea pig (Lamm, K. (115) 149)

Inbred strain
Presbycusis; Cochlear histopathology; Auditory brainstem response; Cochlear nucleus; Behavior (Willott, J.F. (115) 162)

Inferior colliculus
Rise time; Gap detection; Temporal resolution; Amplitude modulation; Mouse (Barsz, K. (115) 13)

Inner ear
Organ of Corti; Hair cell; Development; Fibroblast growth factor; Fibroblast growth factor receptor; Saporin (Dazert, S. (115) 143)

Insect
Bushcricket; Auditory receptor organ; Sound transmission; Tympanum (Bangert, M. (115) 27)

Intravascular pressure
Cochlear blood flow (Wangemann, P. (115) 113)

Iron
Gentamicin; Aminoglycoside antibiotic; Ototoxicity; Free radical; Reactive oxygen species (Conlon, B.J. (115) 1)

K^+ channel
DC receptor potential; Hair cell model; Auditory nonlinearity (van Emst, M.G. (115) 184)

Laser Doppler flowmetry
Cochlea; Hearing loss, noise-induced; Drug effect; Prednisolone; Diclofenac; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Lizard
Noise-induced hearing loss; Temporary threshold shift; Cell membrane wounding; Hair cell membrane lesion (Mulroy, M.J. (115) 93)

minK channel
Phospholipase C; Perforated-patch whole-cell voltage clamp; Gerbil; Rat; Self-referencing probe (Marcus, D.C. (115) 82)

ML-9
Outer hair cells; Sensory receptor cells; Calcium; Calmodulin; Protein kinase; Motility (Coling, D.E. (115) 175)

Motility
Outer hair cells; Sensory receptor cells; Calcium; Calmodulin; Protein kinase; ML-9 (Coling, D.E. (115) 175)

Mouse
Rise time; Gap detection; Temporal resolution; Amplitude modulation; Inferior colliculus (Barsz, K. (115) 13)

Neuron labeling
Auditory pathway; Directional processing; Fish hearing; Fluorescent dextran amine (Edds-Walton, P.L. (115) 45)

Noise-induced hearing loss
Temporary threshold shift; Cell membrane wounding; Hair cell membrane lesion; Lizard (Mulroy, M.J. (115) 93)

Organ of Corti
deafness mouse; Degeneration; Regeneration (Faddis, B.T. (115) 6)

Congenital deafness; Auditory nerve; Spiral ganglion; Degeneration; Cat; Hearing deficit; Waardenburg (Heid, S. (115) 101)

Inner ear; Hair cell; Development; Fibroblast growth factor; Fibroblast growth factor receptor; Saporin (Dazert, S. (115) 143)

Ototoxicity
Gentamicin; Iron; Aminoglycoside antibiotic; Free radical; Reactive oxygen species (Conlon, B.J. (115) 1)

Cystic fibrosis; Tobramycin; Spiral ganglion cell; Degeneration (Sone, M. (115) 217)

Outer hair cells
Sensory receptor cells; Calcium; Calmodulin; Protein kinase; Motility; ML-9 (Coling, D.E. (115) 175)

Perception
Directional hearing; Sound localization; Eye position; Spatial coordinate; Human (Lewald, J. (115) 206)

Perforated-patch whole-cell voltage clamp
Phospholipase C; minK channel; Gerbil; Rat; Self-referencing probe (Marcus, D.C. (115) 82)

Perilymph pO_2
Cochlea; Hearing loss, noise-induced; Drug effect; Prednisolone; Diclofenac; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Phospholipase C
Perforated-patch whole-cell voltage clamp; minK channel; Gerbil; Rat; Self-referencing probe (Marcus, D.C. (115) 82)

Prednisolone
Cochlea; Hearing loss, noise-induced; Drug effect; Diclofenac; Histamine antagonist; Auditory evoked potential; Brain stem evoked potential; Electrocochleography; Cochlear blood flow; Laser Doppler flowmetry; Perilymph pO_2; Hypoxia; Guinea pig (Lamm, K. (115) 149)

Presbycusis
Inbred strain; Cochlear histopathology; Auditory brainstem response; Cochlear nucleus; Behavior (Willott, J.F. (115) 162)

Protein kinase
Outer hair cells; Sensory receptor cells; Calcium; Calmodulin; Motility; ML-9 (Coling, D.E. (115) 175)

Rat
Phospholipase C; Perforated-patch whole-cell voltage clamp; minK channel; Gerbil; Self-referencing probe (Marcus, D.C. (115) 82)

Reactive oxygen species
Gentamicin; Iron; Aminoglycoside antibiotic; Ototoxicity; Free radical (Conlon, B.J. (115) 1)

Regeneration
deafness mouse; Degeneration; Organ of Corti (Faddis, B.T. (115) 6)

Rise time
Gap detection; Temporal resolution; Amplitude modulation; Inferior colliculus; Mouse (Barsz, K. (115) 13)

Saporin
Inner ear; Organ of Corti; Hair cell; Development; Fibroblast growth factor; Fibroblast growth factor receptor (Dazert, S. (115) 143)

Self-referencing probe
Phospholipase C; Perforated-patch whole-cell voltage clamp; minK channel; Gerbil; Rat (Marcus, D.C. (115) 82)

Sensory receptor cells
Outer hair cells; Calcium; Calmodulin; Protein kinase; Motility; ML-9 (Coling, D.E. (115) 175)

Signal transduction
Tip link; Hair cells (Watson, G.M. (115) 119)

Sound localization
Directional hearing; Eye position; Spatial coordinate; Perception; Human (Lewald, J. (115) 206)

Sound transmission
Bushcricket; Insect; Auditory receptor organ; Tympanum (Bangert, M. (115) 27)

Spatial coordinate
Directional hearing; Sound localization; Eye position; Perception; Human (Lewald, J. (115) 206)

Spiral ganglion
Congenital deafness; Organ of Corti; Auditory nerve; Degeneration; Cat; Hearing deficit; Waardenburg (Heid, S. (115) 101)

Cystic fibrosis; Tobramycin; Degeneration; Ototoxicity (Sone, M. (115) 217)

Spontaneous otoacoustic emission
Hearing threshold; Temporal integration (Smurzynski, J. (115) 197)

Temporal integration
Spontaneous otoacoustic emission; Hearing threshold (Smurzynski, J. (115) 197)

Temporal resolution
Rise time; Gap detection; Amplitude modulation; Inferior colliculus; Mouse (Barsz, K. (115) 13)

Temporary threshold shift
Noise-induced hearing loss; Cell membrane wounding; Hair cell membrane lesion; Lizard (Mulroy, M.J. (115) 93)

Tip link
Hair cells; Signal transduction (Watson, G.M. (115) 119)

Tobramycin
Cystic fibrosis; Spiral ganglion cell; Degeneration; Ototoxicity (Sone, M. (115) 217)

Tract tracing
Hearing; Deafness; Aging; Horseradish peroxidase; Central auditory system (Frisina, R.D. (115) 61)

Transient evoked otoacoustic emission
Efferent system; Contralateral; Human; Click (Pratt, H. (115) 39)

Two-tone suppression
Basilar membrane mechanics; Auditory nerve (Hill, K.G. (115) 129)

Tympanum
Bushcricket; Insect; Auditory receptor organ; Sound transmission (Bangert, M. (115) 27)

Waardenburg
Congenital deafness; Organ of Corti; Auditory nerve; Spiral ganglion; Degeneration; Cat; Hearing deficit (Heid, S. (115) 101)

Inner ear; Organ of Corti; Hair cell; Development; Fibroblast growth factor; Saporin (Dazert, S. (115) 143)